





ONE SYSTEM PROVIDES ALL OPTIONS EXPANDABLE AS NEEDED AT ANY TIME





Mehr. Freude. Leben. Zuhause.



ERHARDT terrace roofs – The freedom of ideas

ERHARDT terrace roofs are offered with two different spar dimensions. As a consequence, all customary sizes and nearly all special designs can be realised. No additional support is required up to a post spacing of nearly 7 metres. This makes ERHARDT terrace roofs appear very graceful and delicate even in smaller-dimensioned applications. With three basic colours or a custom RAL colour, your individual terrace roof solution quickly becomes an architectural eye catcher. There are two basic versions:

T100 (spar height, 100 mm): graceful and design-oriented with a depth of up to 350 cm.T150 (spar height, 150 mm): stable and snow proof with a depth of up to 600 cm.











Transform your terrace into a garden room

A great advantage offered by ERHARDT terrace roofs is flexibility with a large selection of additional accessories. ERHARDT terrace roofs can be supplemented by glass and sliding elements in any number of ways with no time constraints. The range includes fixed elements of glass or screening elements combining glass and aluminium which ensure ideal wind and weather protection. The glass sliding elements which also allow barrier-free mounting make a good impression with their elegant appearance and smooth operation on high-quality ball bearings. Operating elements with a stainless steel optic are included as standard. Both LED lighting elements and dimmable lighting rails can be integrated professionally.



MEHR LEBENSQUALITÄT UND FREIHEIT INKLUSIVE PANORAMAAUSSICHT









Comfortable, convenient living

Easy-to-operate remote controls allow any terrace to be lighted conveniently as desired. The infrared heating elements create a comfortable atmosphere in mere seconds even on cool evenings. The integrated LED lighting elements and the infrared heating elements require little energy and provide true added value for many years. This lets you extend your outdoor season not only on rainy summer days, but also in spring and autumn.







Timeless, elegant and versatile

The terrace roof can be mounted on any facade and adapted optically to match. The high-quality construction of glass and aluminium ensures longevity and is easy to care for. With its timeless design, an ERHARDT terrace roof still looks modern and fresh even after many years.



ERHARDT TERRACE ROOFS HIGH QUALITY, MODERN AND VERSATILE

Professional shading for perfect comfort

Our decades of experience with shading systems enable us to meet every manner of shading needs with professional solutions. From under or over-roof mounting with high-quality and durable cassette awnings to sophisticated vertical awnings (especially stable with the ZIP system) offering protection against the low sun and curious glances, we have a broad range of options for every shading application. Our enormous selection of modern and elegant awning fabrics enables us to satisfy every customer's wishes.







ERHARDT TERRACE ROOFS

All of the ERHARDT terrace roof features

Profile heights:	100 mm (T100) and 150 mm (T150)					
Support spacing	Up to 7 m is possible					
Use	Terraces, balconies, carports					
Material	Aluminium and LSG glass					
Frame colour	 White (RAL 9016) Grey-aluminium structured (RAL 9007 finely structured) Anthracite (DB 703) 					
Custom colour	Any RAL colour is possible					
Optional features	Gutter, drain chain or downpipe					
Special features	 Up to 7 m is possible without a 3rd support Also ideally suited for balconies Nearly any special design is possible Can be expanded as needed at any time 					

Optional accessories create a feel-good atmosphere

- Lighting rail (optionally dimmable)
- Integrated LED lighting in the spars (dimmable as an option)
- Infrared heater (including wireless level control)

Optional accessories for shading


- TM conservatory awning for mounting on or under the roof
- HS and WG conservatory awnings for on-roof mounting
- Vertical awnings Z (with ZIP system) and V (tip!)
- All motors available optionally with wireless remote control (tip!)
- Automatic wind and sun sensors (tip!)

THE FOLLOWING ELEMENTS CAN ALSO BE INTEGRATED LATER ON VIRTUALLY ANYWHERE:

All-Glass	Sliding	Elements
------------------	---------	----------

Fixed elements

All-Glass Sliding Elements		Fixed elements		Angled elements	
Max. dimensions per element	150 x 200/90 x 260 cm (width x height)	Max. dimensions per element	As desired, as per technical specifications	Max. dimensions per element	As desired, as per technical specifications
Technology	High-quality, smooth running ball-bearing system	Types	Frameless glass element Framed glass element Sandwich element	Types	Frameless glass element Framed glass element Sandwich element
Tracks	2-5 rails per track for 2-10 sliding doors			Shapes	Custom, including very intricate angles
Use	Sliding door Window element Balcony glazing	Use	Wind and weather pro- tection, privacy shield, splash protection	Use	Wind and weather protec- tion, privacy shield, splash protection
Material	TSG glass and aluminium	Material	Float glass in 6, 8 or 10 mm and aluminium	Material	Float glass in 6, 8 or 10 mm and aluminium



Your Erhardt specialised partner



For more information, see www.erhardt-markisen.de